

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S41	4655	(370/389,392.CCLS.) AND ((us\$4)) AND @ad<"20021121"	US-PGPUB; USPAT	OR	OFF	2009/05/20 16:08
S42	705	(370/389,392.CCLS.) AND ((us\$4 OR using OR uses OR used OR utiliz9 OR utilis\$9) ADJ3 (reconfigur\$6 OR configur\$6 OR selfconfigur\$6 OR (self NEAR2 configur\$4) OR (self NEAR3 reconfigur\$4))) AND @ad<"20021121"	US-PGPUB; USPAT	OR	OFF	2009/05/20 16:14
S43	529	(370/389,392.CCLS.) AND ((us\$4 OR using OR uses OR used OR utiliz9 OR utilis\$9) ADJ2 (reconfigur\$6 OR configur\$6 OR selfconfigur\$6 OR (self NEAR2 configur\$4) OR (self NEAR3 reconfigur\$4))) AND @ad<"20021121"	US-PGPUB; USPAT	OR	OFF	2009/05/20 16:14
S44	324	(370/389,392.CCLS.) AND ((us\$4 OR using OR uses OR used OR utiliz9 OR utilis\$9) ADJ (reconfigur\$6 OR configur\$6 OR selfconfigur\$6 OR (self NEAR2 configur\$4) OR (self NEAR3 reconfigur\$4))) AND @ad<"20021121"	US-PGPUB; USPAT	OR	OFF	2009/05/20 16:15
S45	244	(370/389,392.CCLS.) AND ((using OR uses OR used OR utiliz9 OR utilis\$9) ADJ (reconfigur\$6 OR configur\$6 OR selfconfigur\$6 OR (self NEAR2 configur\$4) OR (self NEAR3 reconfigur\$4))) AND @ad<"20021121"	US-PGPUB; USPAT	OR	OFF	2009/05/20 16:15

S46	23	(370/389,392.CCLS.) AND ((data OR payload) ADJ3 (using OR uses OR used OR utiliz9 OR utilis\$9) ADJ3 (reconfigur\$6 OR configur\$6 OR selfconfigur \$6 OR (self NEAR2 configur \$4) OR (self NEAR3 reconfigur\$4)))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/20 16:17
S48	10	(370/389,392.CCLS.) AND ((data OR payload) ADJ2 (using OR uses OR used OR utiliz9 OR utilis\$9) ADJ2 (reconfigur\$6 OR configur\$6 OR selfconfigur \$6 OR (self NEAR2 configur \$4) OR (self NEAR3 reconfigur\$4))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/20 16:18
S49	23	(370/389,392.CCLS.) AND ((data OR payload) ADJ3 (using OR uses OR used OR utiliz9 OR utilis\$9) ADJ3 (reconfigur\$6 OR configur\$6 OR selfconfigur \$6 OR (self NEAR2 configur \$4) OR (self NEAR3 reconfigur\$4))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/20 16:22
S51	178	("370"/\$.CCLS.) AND ((data OR payload) ADJ3 (using OR uses OR used OR utiliz9 OR utilis\$9) ADJ3 (reconfigur\$6 OR configur\$6 OR selfconfigur \$6 OR (self NEAR2 configur \$4) OR (self NEAR3 reconfigur\$4))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/20 16:25
S52	185	("370"/\$.CCLS.) AND ((data OR payload) ADJ3 (using OR uses OR used OR utiliz\$9 OR utilis\$9) ADJ3 (reconfigur\$6 OR configur\$6 OR selfconfigur \$6 OR (self NEAR2 configur \$4) OR (self NEAR3 reconfigur\$4))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/20 16:25

S53	23	(370/389,392.CCLS.) AND ((data OR payload) ADJ3 (using OR uses OR used OR utiliz\$9 OR utilis\$9) ADJ3 (reconfigur\$6 OR configur\$6 OR selfconfigur \$6 OR (self NEAR2 configur \$4) OR (self NEAR3 reconfigur\$4))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/20 16:25
S54	82	("370"/\$.CCLS.) AND ((data OR payload) ADJ3 (using OR uses OR used OR utiliz\$9 OR utilis\$9) ADJ3 (reconfigur\$4 OR configur\$4 OR selfconfigur \$4 OR (self NEAR2 configur \$4) OR (self NEAR3 reconfigur\$4))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/20 16:26
S63	116	((using OR uses OR used OR utiliz9 OR utilis\$9) ADJ3 (selfconfigur\$6 OR (self NEAR2 configur\$6) OR (self NEAR3 reconfigur \$6))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/20 17:04
S66	23	("370"/\$.CCLS.) AND (((data OR payload) NEAR3 (using OR uses OR used OR utiliz9 OR utilis \$9) NEAR3 (reconfigur\$6 OR configur\$6 OR selfconfigur\$6 OR (self NEAR2 configur\$4) OR (self NEAR3 reconfigur \$4))) NEAR3 (module OR component OR processor OR processor)) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/20 17:07
S67	178	("370"/\$.CCLS.) AND ((payload NEA3 data) ADJ3 (using OR uses OR used OR utiliz9 OR utilis \$9) ADJ3 (reconfigur\$6 OR configur\$6 OR selfconfigur \$6 OR (self NEAR2 configur \$4) OR (self NEAR3 reconfigur\$4))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/20 17:10

S68	79	("370"/\$.CCLS.) AND ((payload NEA3 data) ADJ3 (using OR uses OR used OR utiliz9 OR utilis \$9) ADJ3 (reconfigur\$4 OR configur\$4 OR selfconfigur \$6 OR (self NEAR2 configur \$4) OR (self NEAR3 reconfigur\$4))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/20 17:11
S76	793	("370"/\$.CCLS.) AND ((payload OR data) NEAR3 (process\$6) NEAR3 (reconfigur\$4 OR configur \$4 OR selfconfigur\$6 OR (self NEAR2 configur\$4) OR (self NEAR3 reconfigur \$4))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/20 17:14
S77	11	("370"/\$.CCLS.) AND ((payload) NEAR3 (process \$6) NEAR3 (reconfigur\$4 OR configur\$4 OR selfconfigur\$6 OR (self NEAR2 configur\$4) OR (self NEAR3 reconfigur \$4))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/20 17:14
S78	77	("370"/\$.CCLS.) AND ((payload) NEAR3 ((reconfigur\$4 OR configur \$4 OR selfconfigur\$6 OR (self NEAR2 configur\$4) OR (self NEAR3 reconfigur \$4)) NEAR3 data)) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/20 17:15
S80	10	(370/389,392.CCLS.) AND ((payload) NEAR3 ((reconfigur\$9 OR configur \$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur \$9)) NEAR3 data)) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/20 17:17

S81	13	((370/389,392.CCLS.) AND ((payload) NEAR3 ((reconfigur\$9 OR configur\$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur\$9)) NEAR3 (data OR information)))) AND @ad<"20021121"	US-PGPUB; USPAT	OR	OFF	2009/05/20 17:17
S82	113	("370"/\$.CCLS.) AND ((payload) NEAR3 ((reconfigur\$9 OR configur\$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur\$9)) NEAR3 (data OR information)))) AND @ad<"20021121"	US-PGPUB; USPAT	OR	OFF	2009/05/20 17:21
S84	32	("370"/\$.CCLS.) AND ((payload) NEAR3 (contain\$6 OR compris\$6 OR compos\$6) NEAR3 (reconfigur\$9 OR configur\$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur\$9) NEAR3 (data OR information)))) AND @ad<"20021121"	US-PGPUB; USPAT	OR	OFF	2009/05/20 17:49
S87	35	("370"/\$.CCLS.) AND ((payload) NEAR3 (contain\$6 OR compris\$6 OR compos\$6 OR carry\$4) NEAR3 ((reconfigur\$9 OR configur\$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur\$9) ADJ3 (data OR information)))) AND @ad<"20021121"	US-PGPUB; USPAT	OR	OFF	2009/05/20 17:51
S88	18	("370"/\$.CCLS.) AND ((payload) NEAR3 (contain\$6 OR compris\$6 OR compos\$6 OR carry\$4) NEAR3 (reconfigur\$9 OR configur\$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur\$9)) NEAR3 (data OR information)) AND @ad<"20021121"	US-PGPUB; USPAT	OR	OFF	2009/05/20 17:54

S91	55	("370"/\$.CCLS.) AND ((reconfigur\$9 OR configur \$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur \$9)) ADJ3 (processor OR processing) ADJ3 (block OR module)) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/20 19:01
S93	372	("370"/\$.CCLS.) AND ((reconfigur\$9 OR configur \$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur \$9)) ADJ (block OR module)) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/20 19:01
S98	10	("370"/\$.CCLS.) AND (((mark\$4 OR m) NEAR bit) SAME ((reconfigur\$9 OR configur\$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur\$9)) ADJ3 (data OR information))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/21 10:24
S99	310	("370"/\$.CCLS.) AND ((packet OR frame OR cell OR segment OR (data NEAR unit) OR message) NEAR3 (contain\$6 OR compris\$6 OR compos\$6 OR carry\$4) NEAR3 (reconfigur\$9 OR configur \$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur \$9)) NEAR3 (data OR information)) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/21 10:29

S100	154	("370"/\$.CCLS.) AND ((packet OR frame OR cell OR segment OR (data NEAR unit) OR message) NEAR3 (contain\$6 OR compris\$6 OR compos\$6 OR carry\$4) NEAR3 ((reconfigur\$9 OR configur \$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur \$9)) ADJ2 (data OR information))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/21 10:31
S101	23	(370/389,392.CCLS.) AND ((packet OR frame OR cell OR segment OR (data NEAR unit) OR message) NEAR3 (contain\$6 OR compris\$6 OR compos\$6 OR carry\$4) NEAR3 ((reconfigur\$9 OR configur \$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur \$9)) ADJ2 (data OR information))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/21 10:32
S102	352	("370"/\$.CCLS.) AND (((reconfigur\$9 OR configur\$9 OR selfconfigur \$9 OR (self NEAR2 configur \$9) OR (self NEAR3 reconfigur\$9)) NEAR3 (module OR block OR component)) SAME ((reconfigur\$9 OR configur \$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur \$9)) ADJ2 (packet OR frame OR cell OR segment OR (data NEAR unit) OR message))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/21 10:36

S105	20	("370"/\$.CCLS.) AND (((reconfigur\$9 OR configur\$9 OR selfconfigur \$9 OR (self NEAR2 configur \$9) OR (self NEAR3 reconfigur\$9)) NEAR3 (series OR group\$4 OR plurality OR multiple OR every) NEAR3 (module OR block OR component)) SAME ((reconfigur\$9 OR configur\$9 OR selfconfigur \$9 OR (self NEAR2 configur \$9) OR (self NEAR3 reconfigur\$9)) ADJ2 (packet OR frame OR cell OR segment OR (data NEAR unit) OR message))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	ON	2009/05/21 10:41
S107	113	("370"/\$.CCLS.) AND ((payload) NEAR3 (((reconfigur\$9 OR configur \$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur \$9)) NEAR3 (data OR information))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/21 10:43
S109	137	("370"/\$.CCLS.) AND ((extract\$6) NEAR3 (((reconfigur\$9 OR configur \$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur \$9)) ADJ3 (information OR data))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	ON	2009/05/21 10:55
S110	36	("370"/\$.CCLS.) AND ((extract\$6) NEAR3 (((reconfigur\$9 OR configur \$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur \$9)) ADJ (information OR data))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	ON	2009/05/21 10:56



S112	23	(370/389,392.CCLS.) AND ((extract\$6) NEAR3 ((reconfigur\$9 OR configur \$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur \$9)) ADJ3 (information OR data))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	ON	2009/05/21 10:57
S113	36	("370"/\$.CCLS.) AND ((extract\$6) NEAR3 ((reconfigur\$9 OR configur \$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur \$9)) ADJ (information OR data))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	ON	2009/05/21 11:00
S115	60	("370"/\$.CCLS.) AND (((extract\$6 OR receiv\$4 OR reception OR reciept) NEAR3 ((reconfigur\$9 OR configur\$9 OR selfconfigur \$9 OR (self NEAR2 configur \$9) OR (self NEAR3 reconfigur\$9)) ADJ2 (information OR data))) AND ((reconfigur\$9 OR configur\$9 OR selfconfigur \$9 OR (self NEAR2 configur \$9) OR (self NEAR3 reconfigur\$9)) NEAR3 (every OR group\$4 OR multiple OR multiplicity OR plurality) NEAR3 (module OR component OR block))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	ON	2009/05/21 11:08
S116	226	("370"/\$.CCLS.) AND (((extract\$6 OR receiv\$4 OR reception OR reciept) NEAR3 ((reconfigur\$9 OR configur\$9 OR selfconfigur \$9 OR (self NEAR2 configur \$9) OR (self NEAR3 reconfigur\$9)) ADJ2 (information OR data))) AND ((reconfigur\$9 OR configur\$9 OR selfconfigur \$9 OR (self NEAR2 configur \$9) OR (self NEAR3 reconfigur\$9)) NEAR3 (modules OR components	US- PGPUB; USPAT	OR	OFF	2009/05/21 11:32

		OR blocks))) AND @ad<"20021121"				
S117	16	("370"/\$.CCLS.) AND (((extract\$6 OR receiv\$4 OR reception OR reciept) NEAR3 ((reconfigur\$9 OR configur\$9 OR selfconfigur \$9 OR (self NEAR2 configur \$9) OR (self NEAR3 reconfigur\$9)) ADJ (information OR data))) SAME ((reconfigur\$9 OR configur\$9 OR selfconfigur \$9 OR (self NEAR2 configur \$9) OR (self NEAR3 reconfigur\$9)) NEAR3 (modules OR components OR blocks))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/21 11:33
S118	44	(370/389,392.CCLS.) AND (((extract\$6 OR receiv\$4 OR reception OR reciept) NEAR3 ((reconfigur\$9 OR configur\$9 OR selfconfigur \$9 OR (self NEAR2 configur \$9) OR (self NEAR3 reconfigur\$9)) ADJ2 (information OR data))) AND ((reconfigur\$9 OR configur\$9 OR selfconfigur \$9 OR (self NEAR2 configur \$9) OR (self NEAR3 reconfigur\$9)) NEAR3 (modules OR components OR blocks))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/21 11:35
S119	23	("370"/\$.CCLS.) AND (((extract\$6 OR receiv\$4 OR reception OR reciept) NEAR3 ((reconfigur\$9 OR configur\$9 OR selfconfigur \$9 OR (self NEAR2 configur \$9) OR (self NEAR3 reconfigur\$9)) ADJ (information OR data))) SAME3 ((reconfigur\$9 OR configur\$9 OR selfconfigur \$9 OR (self NEAR2 configur \$9) OR (self NEAR3 reconfigur\$9)) NEAR3 (modules OR components OR blocks))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/21 11:40

S121	20	("370"/\$.CCLS.) AND (((reconfigur\$9 OR configur\$9 OR selfconfigur \$9 OR (self NEAR2 configur \$9) OR (self NEAR3 reconfigur\$9)) NEAR3 (series OR group\$4 OR plurality OR multiple OR every) NEAR3 (module OR block OR component)) SAME ((reconfigur\$9 OR configur\$9 OR selfconfigur \$9 OR (self NEAR2 configur \$9) OR (self NEAR3 reconfigur\$9)) ADJ2 (packet OR frame OR cell OR segment OR (data NEAR unit) OR message))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	ON	2009/05/21 13:00
S123	13	(370/389,392.CCLS.) AND ((payload) NEAR3 ((reconfigur\$9 OR configur \$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur \$9)) NEAR3 (data OR information))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	OFF	2009/05/21 13:02
S125	3	(370/389,392.CCLS.) AND (either NEAR3 ((reconfigur \$9 OR configur\$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur\$9)) ADJ2 (mode OR state))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	ON	2009/05/21 13:04
S126	6	(370/389,392.CCLS.) AND ((either OR between OR among) NEAR3 ((reconfigur\$9 OR configur \$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur \$9)) ADJ2 (mode OR state))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	ON	2009/05/21 13:04

S127	14	("370"/\$.CCLS.) AND ((either OR between OR among) NEAR3 ((reconfigur\$9 OR configur \$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur \$9)) ADJ (mode OR state))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	ON	2009/05/21 13:05
S128	17	("370"/\$.CCLS.) AND ((select\$4 OR choos\$4) NEAR3 ((reconfigur\$9 OR configur\$9 OR selfconfigur \$9 OR (self NEAR2 configur \$9) OR (self NEAR3 reconfigur\$9)) ADJ (mode OR state))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	ON	2009/05/21 13:06
S130	17	("709"/\$.CCLS.) AND ((either OR between OR among) NEAR3 ((reconfigur\$9 OR configur \$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur \$9)) ADJ (mode OR state))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	ON	2009/05/21 13:47
S133	14	(370/389,392.CCLS.) AND ((payload) NEAR3 ((reconfigur\$9 OR configur \$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur \$9)) NEAR3 (data OR information))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	ON	2009/05/28 11:33
S135	30	("370"/\$.CCLS.) AND ((payload) NEAR5 ((reconfiguration OR configuration OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur\$9)) ADJ2 (data OR information))) AND @ad<"20021121"	US- PGPUB; USPAT	OR	ON	2009/05/28 12:24

S138	44	("370"/\$.CCLS.) AND ((default OR startup OR start\$3 OR (start\$3 NEAR up)) NEAR3 (program\$4 OR cod\$4 OR (operating NEAR system) OR os) SAME ((outside OR external OR flash) NEAR3 (memory OR stor\$4))) AND @ad<"20021121"	US-PGPUB; USPAT	OR	ON	2009/05/28 14:59
S140	24	("370"/\$.CCLS.) AND ((default OR startup OR start\$3 OR (start\$3 NEAR up)) NEAR3 (program\$4 OR cod\$4 OR (operating NEAR system) OR os) WITH ((outside OR external OR flash OR offchip OR (off NEAR chip)) NEAR3 (memory OR stor\$4))) AND @ad<"20021121"	US-PGPUB; USPAT	OR	ON	2009/06/04 10:59
S141	62	("370"/\$.CCLS.) AND ((boot\$4) NEAR3 (program\$4 OR cod\$4 OR (operating NEAR system) OR os) WITH ((outside OR external OR flash OR offchip OR (off NEAR chip)) NEAR3 (memory OR stor\$4))) AND @ad<"20021121"	US-PGPUB; USPAT	OR	ON	2009/06/04 11:11
S142	54	("370"/\$.CCLS.) AND ((boot\$4) ADJ2 (program\$4 OR cod\$4 OR (operating NEAR system) OR os) WITH ((outside OR external OR flash OR offchip OR (off NEAR chip)) NEAR3 (memory OR stor\$4))) AND @ad<"20021121"	US-PGPUB; USPAT	OR	ON	2009/06/04 11:13
S143	39	("370"/\$.CCLS.) AND ((boot) ADJ (program\$4 OR cod\$4 OR (operating NEAR system) OR os) WITH ((outside OR external OR flash OR offchip OR (off NEAR chip)) NEAR3 (memory OR stor\$4))) AND @ad<"20021121"	US-PGPUB; USPAT	OR	ON	2009/06/04 11:13

S146	415	("370"/\$.CCLS.) AND ((reconfigur\$9 OR configur\$9 OR selfconfigur\$9 OR (self NEAR2 configur\$9) OR (self NEAR3 reconfigur\$9)) NEAR3 (bit OR signal\$6) NEAR3 (module OR block OR component)) AND @ad<"20021121"	US-PGPUB; USPAT	OR	ON	2009/06/04 11:34
S149	55	("370"/\$.CCLS.) AND ((control\$4) NEAR3 (bit OR signal\$6) NEAR3 (respectiv\$6) NEAR3 (module OR block OR component)) AND @ad<"20021121"	US-PGPUB; USPAT	OR	ON	2009/06/04 11:38
S150	20	("370"/\$.CCLS.) AND (((control\$4) ADJ2 (bit OR signal\$6)) NEAR3 ((respectiv\$6) ADJ2 (module OR block OR component))) AND @ad<"20021121"	US-PGPUB; USPAT	OR	ON	2009/06/04 11:39
S152	53	("370"/\$.CCLS.) AND ((bit) NEAR2 (respectiv\$6) NEAR2 (module OR block OR component)) AND @ad<"20021121"	US-PGPUB; USPAT	OR	ON	2009/06/04 11:43
S154	10	("370"/\$.CCLS.) AND ((forward\$4 OR send\$4 OR transmi\$9) NEAR3 (bit) NEAR3 (respectiv\$6) NEAR3 (module OR block OR component)) AND @ad<"20021121"	US-PGPUB; USPAT	OR	ON	2009/06/04 11:45
S157	21	("370"/\$.CCLS.) AND ((header) SAME ((bit) NEAR3 (respectiv\$6) NEAR3 (module OR processor OR processer OR cpu OR block OR componenet OR register))) AND @ad<"20021121"	US-PGPUB; USPAT	OR	ON	2009/06/04 11:49
S160	25	("370"/\$.CCLS.) AND ((signal\$6 OR bit) ADJ (respectiv\$6) ADJ (module OR processor OR processer OR cpu OR block OR component)) AND @ad<"20021121"	US-PGPUB; USPAT	OR	ON	2009/06/04 11:52

S161	136	("370"/\$.CCLS.) AND ((signal\$6 OR bit) ADJ2 (respectiv\$6) ADJ2 (module OR processor OR processor OR cpu OR block OR component)) AND @ad<"20021121"	US- PGPUB; USPAT	OR	ON	2009/06/04 12:09
------	-----	---	------------------------	----	----	---------------------

**6/ 4/ 2009 3:52:39 PM**

**C:\ Documents and Settings\ jsmith1\ My Documents\ EAST\ Workspaces\ ap10\_531\_134.  
wsp**